

A. G. CEMENT LLP

Factory & Regd. Office : Kamarkuchi, N.C., Mouza-Panbari
Dist. Kamrup (M), Assam, Pin : 782402 (India)
E-mail : agcement.office@gmail.com

Date 22.04.2025

To,

The Scientist D

Integrated Regional office, Guwahati
Ministry of Environment, Forest & Climate Change,
4th floor, Housefeed building
G.S.Road, Rukminigaon
Guwahati-781022

SUB.: Submission of six monthly post EC Compliance report in respect of Cement Grinding Unit (200 TPD OPC/PPC) at Dag No.49, Pata No.12, P.O. Tapesia, Village Kamarkuchi (NC). Taluka Panabari, District Kamrup (M), Assam

REF.: ENVIRONMENTAL CLEARANCE LETTER F. No. J-11011/687/2009- IA II (I). Dated August 27th, 2010.

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF we are hereby enclosing the Six Monthly Compliance Report for the period **October-2024 to March-2025** Environmental Clearance issued to us.


I hope that you will find it in order and do the needful.

Thanking You.

Yours faithfully,

For, M/s. A. G Cement LLP

For A. G. CEMENT LLP


Authorised Signatory

Authorised Signatory

Copy to:

1. Member Secretary, Pollution Control Board Assam,
Bamunimaidam, Guwahati- 21
2. The Regional Director
Zonal Office Central Pollution Control Board, Shillong
"TUM_SIR" Lower Motinagar
Near Fire Brigade H.Q- Shillong-793014
3. Regional Office, Guwahati-1
Pollution Control Board, Assam
Guwahati-21



**COMPLIANCE REPORT OF
ENVIRONMENTAL CLEARANCE
FOR THE PERIOD OF
OCTOBER-2024 TO MARCH-2025**

F. No. J-11011/687/2009- IA II (I)

SUBMITTED BY-

M/S A.G. CEMENT LLP
GROUND FLOOR, H/N:119, TRIPURA ROAD
JAYANAGAR, GUWAHATI-781028,
KAMRUP(M), ASSAM

Name of The Company :	M/s A.G. Cement LLP
Project	Cement Grinding Unit (200 TPD OPC/PPC) at Dag No.49, Pata No.12, P.O. Tapesia, Village Kamarkuchi (NC). Taluka Panabari, District Kamrup (M), Assam.
Environmental Clearance Letter	F. No. J-11011/687/2009- IA II (I), Dated August 27th, 2010.

A - SPECIFIC CONDITIONS

SN .	EC CONDITIONS	COMPLIANCE STATUS
(i)	Continuous stack monitoring facilities to monitor gaseous emissions from all the stacks shall be provided. Particulate emissions shall be controlled within 50 mg/Nm ³ by installing adequate air pollution control system viz. Bag filters and stacks of adequate height etc. Data on ambient air, fugitive and stack emissions shall be submitted to the Ministry's Regional Office at Shillong, Assam State Pollution Control Board (ASPCB) and CPCB regularly.	Continuous stack monitoring facilities are installed and data is directly transferred to Central Pollution Control Board and Pollution Control Board, Assam. Pollution control device are installed to control the particulate matter in cement Mill, packing and silo section. Ambient air, fugitive and stack emissions are being monitored regularly by a laboratory which is recognized by PCB, Assam & NABL. Monitoring data is being regularly submitted to the Ministry's Regional Office at Guwahati, ASPCB and CPCB Shillong.
(ii)	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	National Ambient air quality standards are being followed. Ambient air quality is regularly monitored by PCB, Assam as well as third party. Air Monitoring reports are attached as Annexure-I .
(iii)	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed.	Stack of adequate height is installed to control gaseous emission. However secondary fugitive emission is controlled by installing water sprinkling system and plantation. Fugitive emission monitoring reports are referred as Annexure-II .
(iv)	The company shall install adequate dust collection and extraction system to control fugitive dust emissions at various transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. All the raw material stock piles shall be covered. A closed clinker stockpile system shall be provided. All conveyors should be covered with GI sheets. Covered sheds for storage of raw materials and fully covered conveyors for transportation of	Adequate no of dust collection devices have been installed at various transfer points (loading, unloading etc). All conveyer belt (raw material and flyash belt) are fully covered to controlled dust emission. However transportation of material is also carried out in covered vehicles. However concrete road is completed within the factory premises. Dry Fog System has been installed at crusher to control fugitive Emission. Vehicle tyre washing pint also developed to control the fugitive emission.

SN	EC CONDITIONS	COMPLIANCE STATUS
	materials shall be provided besides coal, cement, fly ash and clinker shall be stored in silos. Pneumatic system shall be used for fly ash handling.	
(v)	Asphalting/concreting of roads and water spray all around the stockyard and loading/unloading areas in the cement plant shall be carried out to control fugitive emissions. Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul road, loading and unloading points, transfer points and other vulnerable areas. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	All the internal roads are concrete. All the transfer points are provided with pulse jet bag filters to control on fugitive emission. However Water sprinkling is also done regularly to control the fugitive emission. Monitoring report is enclosed as Annexure-III .
(vi)	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials including fly ash shall be transported in the closed containers only and shall not be overloaded. Vehicular emissions should be regularly monitored	We are following all the guide lines for transportation of raw material. Vehicular emission also monitored regularly.
(vii)	Total water requirement for cement plant from bore wells shall not exceed 7m ³ /day. All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.	Being a dry unit total water requirement is less than 7m ³ /day. ETP is installed for treatment of waste water generated in the canteen and laboratory. Treated water is used for dust suppression and green belt development. Being a dry unit 'Zero Discharge' status is also maintained for the entire plant. ETP water analysis enclosed vide Annexure-IV
(viii)	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Rain water harvesting structure is developed. If needed capacity of the reservoir will be enhanced. (photo already sent to MoEF, PCB, Assam). Harvested rain water is used to control the fugitive emission and green belt development.
(ix)	All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers / reprocessors	Dust generated from pollution control devices are recycled and reused in the processes. We have done proper agreement with the authorized recycler for disposal of hazardous waste like spent oil, batteries etc. (copy of authorized already sent to MOEF Guwahati and PCB, Assam.)

SN	EC CONDITIONS	COMPLIANCE STATUS
	only.	
(x)	Green belt shall be developed in at least 33 % area in and around the cement plant as per the CPCB guidelines to mitigate the effects of air emissions in consultation with local DFO	Greenbelt is developed regularly around the periphery. It is developed in consultation with local DFO vide letter dated 28/05/14. All local available species are being planted at our premises mitigate the effects of air emission.
(xi)	At least 5 % of the total cost of the project shall be earmarked towards the corporate social responsibility and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Shillong. Implementation of such program shall be ensured accordingly in a time bound manner.	Point is noted & will be complied.
(xii)	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	Complied with.

B. GENERAL CONDITIONS

SN.	EC CONDITIONS	COMPLIANCE STATUS
(i)	The project authorities must strictly adhere to the stipulations made by the Assam State Pollution Control Board and the State Government.	Being complied. We Strictly follow all the stipulations made by Pollution Controlled Board, Assam.
(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Agreed with.
(iii)	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The State Pollution Control Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its	We strictly followed the norms of Ministry Notification dated 19 th May 1993.

SN.	EC CONDITIONS	COMPLIANCE STATUS
	size and location.	
(iv)	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM ₁₀ , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Shillong and the SPCB/CPCB once in six months.	Ambient air quality monitoring stations were established in consultation with Assam Pollution Control Board. Height of the stack will increase to reduce the emission level. Ambient air quality and stack emission regularly monitored and reports are submitted regularly to the MoEF Guwahati, SPCB, CPCB. Monitoring reports are attached as Annexure-I .
(v)	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Being a zero-discharge unit no Industrial waste water is generated. Only domestic effluent is generated, which is disposed through ETP. However construction of internal drainage system is completed.
(vi)	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	The overall noise level in and around the plant are within the prescribed standards. We have undertaken all the necessary measures to control the noise levels within the limit. Noise monitoring report is attached as Annexure-V .
(vii)	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Occupational health check up (including lung function & sputum analysis) is being carried out regularly. Records are maintained as per factories Act.
(viii)	The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Rain water harvesting system is installed in such a way so that entire rain water will collect and then it is diverted to the pond located near the site for the storage and recharge of ground water table.
(ix)	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Point is noted. We will undertake various Socio-economic activity in the surrounding village.
(x)	As proposed, Rs 35 lakhs and Rs. 10.5 lakhs shall be earmarked towards capital cost and recurring cost/annum	Proposed amount for CREP was used for environmental safeguard like Reverse Pulse Jet type Bag filters, environmental

SN.	EC CONDITIONS	COMPLIANCE STATUS
	for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Shillong. The funds so provided shall not be diverted for any other purpose.	monitoring, installation of ETP and green belt development etc.
(xi)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Copy of clearance letter from Panchayat/ NGO is already sent to MoEF.
(xii)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF at Shillong. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Report on status of compliance of the stipulated environment clearance conditions along with monitoring reports will upload on our website www.agcement.com Simultaneously reports are regularly sent to the Regional Office of MoEF Guwahati, CPCB Shillong. and the Pollution Control Board Assam.
(xiii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Shillong/ CPCB / SPCB shall monitor the stipulated conditions	Six monthly EC compliance report and monitoring data are regularly sent to Regional office of MoEF Guwahati, Zonal office of CPCB and PCB, Assam.
(xiv)	The environmental statement for each financial year ending 31st' March in Form-V as is mandated to be submitted by the project proponent to	Environmental statement for the year 2024-25 is attached herewith in Annexure VI.

EC COMPLIANCE REPORT FOR THE PERIOD 1ST OCTOBER'2024 TO 31TH MARCH'2025

SN.	EC CONDITIONS	COMPLIANCE STATUS
	the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEF at Shillong by e-mail.	
(xv)	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Shillong.	Complied with.
(xvi)	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Complied with.



ABNS SCIENTIFIC SERVICES

এবিএনএস চাইন্টিফিক চার্টিচেচ
এবীএনএস সাইণ্টিফিক সর্বসেজ

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/12	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/07 Sample Description: Ambient Air Location : Towards West Side from the truck Paking area Weather Condition: Clear	Date of sampling: 17/01/2025 Analysis start Date: 18/01/2025 Analysis end Date: 24/01/2025
Environmental Condition: Temperature 23.7°C, Relative Humidity: 67%	

ANALYSIS RESULT

Sl No	Parameters	Unit	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (<10um)	µg/m³	98.0	100	IS 5182: Part 23:2006 (Reaff. 2012)
2.	Particulate Matter (<2.5um)	µg/m³	57.0	60	Lab SOP.Doc.NO. TPM/ABNS/E/5/D
3.	Sulphur Dioxide (SO₂)	µg/m³	9.42	80	IS 5182 : Part 2 :2001 (Reaff.2012)
4.	Oxides of nitrogen (NO _x)	µg/m³	31.0	80	IS 5182 : Part 6 :2006 (Reaff.2012)

NOTE: Limit as per CPCB notification, New Delhi, 18th November 2009, for Ambient air quality

Note: The results relate to the parameter tested only. ***Water Sprinkling system was in operation throughout the monitoring periods

-----End of Report-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


 ABNS
 28/01/2025
 Dr. Bidyut Jyoti Sarmah

Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস চাইন্টিফিক চার্টিচেচ
এবীএনএস সাইণ্টিফিক সর্বসেজ

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/11	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP	
Kamarkuchi (NC), Taluka Panbari,	
P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/06	Date of sampling: 17/01/2025
Sample Description: Ambient Air	Analysis start Date: 18/01/2025
Location : South Side of the Plant Near Entrance Point	Analysis end Date: 24/01/2025
Weather Condition: Clear	
Environmental Condition: Temperature 23.2°C, Relative Humidity: 68%	

ANALYSIS RESULT

Sl No	Parameters	Unit	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (<10um)	µg/m³	94.0	100	IS 5182: Part 23:2006 (Reaff. 2012)
2.	Particulate Matter (<2.5um)	µg/m³	56.0	60	Lab SOP.Doc.NO. TPM/ABNS/E/5/D
3.	Sulphur Dioxide (SO₂)	µg/m³	10.64	80	IS 5182 : Part 2 :2001 (Reaff.2012)
4.	Oxides of nitrogen (NO _x)	µg/m³	29.40	80	IS 5182 : Part 6 :2006 (Reaff.2012)

NOTE: Limit as per CPCB notification, New Delhi, 18th November 2009, for Ambient air quality

Note: The results relate to the parameter tested only. ***Water Sprinkling system was in operation through out the monitoring periods

-----End of Report-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস সাইণ্টিফিক সার্ভিসেজ
ABNS SCIENTIFIC SERVICES

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/15	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G. CEMENT LLP	
Kamarkuchi (NC), Taluka Panbari,	
P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/10	Date of Sample: 17/01/2025
Sample Description: Stack Emission (DG)	Analysis start Date: 18/01/2025
Description of DG: 125 KVA	Analysis end Date: 24/01/2025
Environmental Condition: Temperature 23.7°C, Relative Humidity:66%	

ANALYSIS RESULT

SL NO	PARAMETERS	Unit	Reference Method	RESULTS	Limits (CPCB)
1	Temperature of emission	°C	IS 1255 (Part III); Rffm:2003	192	-
2	Barometric pressure	mmHg	IS 196: 1996 (RA- 2001)	743	-
3	Velocity of Gas	m/sec	IS 1255 (Part III); Rffm:2003	6.62	-
4	Gas Quantity	Nm3/hr	IS 1255 (Part III); Rffm:2003	3834	-
5	Carbon Monoxide (CO)	g/kW-hr	IS 13270:1992 (RA-2019)	0.92	3.5
6	Oxide of Sulphur (SOx)	mg/Nm3	IS 11255 (Part II) 1985	12.8	-
7	Nitrogen Oxide (NOx)& Hydrocarbon (HC)	g/kW-hr	IS 11255(part-7)1985(RA-2022) & USEPA Part-18 (25.09.1996)	2.2	4.0
8	Particulate matter (PM)	g/kW-hr	IS 11255(part -I)1985(RA-2019)	0.10	0.2

Note: The results relate to the parameter tested only.

-----*End of Report*-----

For ABNS Scientific Services,

Report reviewed by: Mrinmoy Jyoti K (QM)


[Signature] 28/01/2025
 Authorized Signatory
 (Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএচ সাইন্টিফিক সার্ভিসেজ
এবীএনএস সাইণ্টিফিক সর্বসেজ

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/17	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G. CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/12 Sample Description: Stack emission Stack Connected to : Back Filter of Raw Material Feeding Section	Date of sampling: 17/01/2025 Analysis Start Date: 18/01/2025 Analysis End Date: 24/01/2025

ANALYSIS RESULT

SL NO	PARAMETERS	RESULTS	METHOD
1	Temperature of emission (°C)	84	IS 1255 (Part III); Rffm:2003
2	Barometric pressure (mm of Hg)	743	USEPA Part 2-25/09/1996
3	Velocity of Gas (m/sec)	2.88	IS 1255 (Part III); Rffm:2003
4	Gas Quantity (Nm ³ /hr)	2498	IS 1255 (Part III); Rffm:2003
5	Particulate Matters (mg/Nm ³)	28.0	IS 1255 (Part I)

*Note: The results relate to the parameter tested only. ***PCD was in operation during sample collection.*

-----End of Report-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


 ABNS
 28/01/2025

Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস চাইন্টিফিক চার্টিচেচ
এবীএনএস সাইণ্টিফিক সর্বসেজ

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/18	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/13	Date of sampling: 17/01/2025
Sample Description: Stack emission	Analysis Start Date: 18/01/2025
Stack Connected to : Back Filter of Cement Mill & Silo	Analysis End Date: 24/01/2025

ANALYSIS RESULT

SL NO	PARAMETERS	RESULTS	METHOD
1	Temperature of emission (°C)	69	IS 1255 (Part III); Rffm:2003
2	Barometric pressure (mm of Hg)	743	USEPA Part 2-25/09/1996
3	Velocity of Gas (m/sec)	2.88	IS 1255 (Part III); Rffm:2003
4	Gas Quantity (Nm ³ /hr)	2152	IS 1255 (Part III); Rffm:2003
5	Particulate Matters (mg/Nm ³)	19.0	IS 1255 (Part I)

Note: The results relate to the parameter tested only.

-----*End of Report*-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)



Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস সাইন্টিফিক সার্ভিসেজ
एबीएनएस साइंटीफ़िक सर्विसेज

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

केतेकी पथ, रैडिसन ब्लू के पास, एन एइच २७, गुवाहाटी ৭৮১০৩৩, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/16	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP	
Kamarkuchi (NC), Taluka Panbari,	
P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/11	Date of sampling: 17/01/2025
Sample Description: Fugitive Air	Analysis start Date: 18/01/2025
Location : Near Loading & Unloading Area	Analysis end Date: 24/01/2025
Weather Condition: Clear	
Environmental Condition: Temperature 23.5°C, Relative Humidity: 67%	

ANALYSIS RESULT

SL NO	LOCATION/SOURCE	FUGITIVE (SPM) ($\mu\text{g}/\text{m}^3$)	PROTOCOL
1	Near Loading & Unloading Area	1240	IS 5182 (P-4): 1999

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


 ABNS
 28/01/2025
 Dr. Bidyut Jyoti Sarmah

Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস সাইন্টিফিক সর্ভিসেজ
एबीएनएस साइंटीफ़िक सर्विसेज

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেটেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/19	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/14 Sample Description: Waste Water Source: ETP Outlet	Date of receipt of sample: 17/01/2025 Analysis start Date: 18/01/2025 Analysis end Date: 24/01/2025
<u>Environmental Condition:</u> Temperature: 23.6 °c, Humidity: 69%	

ANALYSIS RESULT

Sl. No.	Water Quality PARAMETERS	UNIT	RESULT	REFERENCE METHOD	Permissible limit (CPCB)
1	pH	-	7.82	IS 3025 (Part 11)1983 (Reaffirmed 2017)	5.5 – 9.0
2	Total Suspended Solids (TSS)	mg/L	54.0	IS 3025 (Part 17)1984 (Reaffirmed 2017)	100mg/L
3	Total Dissolved Solids (TDS)	mg/L	829.0	IS 3025 (Part 16)1984 (Reaffirmed 2017)	2100mg/L
4	Total Kjeldahl Nitrogen (as NH ₃)	mg/L	43.8	IS 3025 (Part 34)	100mg/L
5	BOD	mg/L	20.0	IS 3025 (Part 44)1993 (Reaffirmed 2019)	30mg/L
6	COD	mg/L	118.0	IS 3025 (Part 58)2006: Reaffirmed 2017	250mg/L
7	Oil and grease	mg/L	8.5	IS 3025 (Part 39)1991 (Reaffirmed 2019)	10mg/L

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)



Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস সাইণ্টিফিক সার্ভিসেজ
एबीएनएस साइंटीफीक सर्वিসेज

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেটেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/14	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/09	
Sample Description: Noise Level (DG)	Date of Sample: 18/01/2025
Description of DG: 125 KVA	

ANALYSIS RESULT

Sl. No.	Test Locations	Approx. distance from source	Noise Level in dB(A) in Leq	Remarks	Reference Method
1	125 KVA	1 meter-East	69.8	DG Set is in operation	IS 9989-2003
2		1 meter-North	70.6		
3		1 meter-West	72.2		
4		1 meter-South	73.5		

Note:

- The results relate to the parameter tested only.
- All data are collected during day time.
- Acoustic Enclosure Enclosed.
- Noise Level for DG set 75dB (A) at 1 meter distance.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


 ABNS
 28/01/2025
 Authorized Signatory
 (Dr. Bidyut Jyoti Sarmah)



ABNS SCIENTIFIC SERVICES

এবিএনএস সাইণ্টিফিক সার্ভিসেজ
ABNS SCIENTIFIC SERVICES

H-152, Keteki Path, near Radisson Blu, NH 27, Guwahati 781033, Assam

কেতেকী পথ, রেডিসন ব্লু কে পাস, এন এইচ ২৭, গুৱাহাটী ৭৮১০৩৩, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No. : ABNS/EM/012825/13	Date : 28/01/2025
Name & Address of the Customer:	
M/S A.G.CEMENT LLP Kamarkuchi (NC), Taluka Panbari, P.O: Tapesia, Dist: Kamrup (M), Assam.	
Ref: ABNS/GHY/EM/010625/08 Sample Description: Noise Level	Date of Survey: From : 18/01/2025-19/01/2025

ANALYSIS RESULT

Sl. No.	Test Locations	Day Time - dB(A) Results	Reference Method
1	Near Main Gate	62.8	IS 9989-2003
2	Near Office Building	59.4	
3	Near Packing Plant	67.5	

-----End of Report-----

Note: The results relate to the parameter tested only

For ABNS Scientific Services,

Report reviewed By: Dr. Mayur Jyoti Mahanta (QM)


 ABNS
 28/01/2025
 Dr. Bidyut Jyoti Sarmah

Authorized Signatory
(Dr. Bidyut Jyoti Sarmah)

ANNEXURE VI

ENVIRONMENTAL STATEMENT

ENVIRONMENTAL STATEMENT
FORM – V

Environmental Statement for the financial year ending the 31st March 2025

PART: A

i) Name and address of the owner / occupier of the industry, Operation or process. : M/s. A G Cement LLP.
Ground Floor, H/N: 119, Tripura Road, Jaya Nagar, Guwahati-28
Kamrup(M), Assam

ii) Industry category : Red Category
Primary- (STC Code)
Secondary- (SIC Code)

iii) Production capacity units : 200MT Per day

iv) Year of Establishment : 26/10/2011

v) Date of the last environmental audit report submitted. : 03/05/2024

PART : B
Water and Raw Material Consumption

(1) Water Consumption m³/day.

Process : - Nil

Boiler : - Nil

Domestic : - 4 m³/day (Domestic and Gardening Purpose)

Name of Products	Process water consumption per unit of products.	
	During the previous Financial year.	During the current Financial year.
	(1)	(2)
(1) PPC	Not Applicable	Not Applicable
(2) OPC	Not Applicable	Not Applicable

Name of Raw Materials	Name of products	Consumption of raw material per unit of output. (MT/MT)	
		During the previous Financial year.	During the current Financial year.
Clinker	PPC	27678 MT	26290.6 MT
Fly Ash	PPC	11862 MT	11267.4 MT
Slag		-	-
Gypsum	PPC	-	-

PART : C
Pollution Discharged to Environment/Unit of output

(Parameter as specified in the consent issued)

(i) Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/ volume)	Percentage of variation from prescribed standards with reasons.
(a) Water	NOT APPLICABLE, AS THERE IS NO WASTEWATER GENERATION.		
(b) Air	ALL PARAMETERS ARE WELL WITHIN THE NORMS PRESCRIBED BY THE BOARD.		

PART : D
Hazardous Wastes

(as specified under Hazardous Wastes (Management and Handling) Rules, 1989)

Hazardous Wastes	Total Quantity (kg/ ltr.)	
	During the previous Financial year.	During the current Financial year.
(a) From Process	N.A	N.A
(b) From Pollution control facilities	N.A	N.A

PART : E
Solid Wastes

	Total Quantity (kg.)	
	During the previous Financial year.	During the current Financial year.
(a) From Process	N.A	
(b) From Pollution control facilities	N.A	
(c) (1) Quantity recycled or re-utilised	<i>Discarded Bags</i>	0.958MT
(2) Sold	N.A	0.702 MT
(3) Disposed	N.A	

PART : F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

All the HDPE Discarded Bags generated are return to recyclers and also reused by workers.

PART : G

Impact of the pollution control measures on conservation of natural resources and consequently on the cost of production.

Cost of consultancy & recurring cost of annual monitoring include electricity: Rs. 600000/- (Six Lakh) only.

PART : H


Additional measures/ investment proposal for environmental protection including abatement of pollution.

None

PART : I
Miscellaneous

Any other particulates for improving the quality of the environment.

None.

Signature: 
Name: PANKAJ PAUL
Designation: QCI
Date: 22/04/25

Submitted to:

1. Pollution Control Board Assam
Bamunimaidam, Guwahati-21
2. Integrated Regional Office , Guwahati
Ministry of Environment
Forest & Climate Change
4th Floor, HOUSEFED Building
G S Road , Rukmini gaon
Guwahati – 781022 (Assam)



From : M/S A G Cement Pvt. Ltd.
Guwahati, Assam